



# Carl Goldberg Products

P.O. Box 818 Oakwood GA 30566 Phone #678-450-0085 Fax # 770-532-2163 www.carlgoldbergproducts.com

## What's New For Spring 2007!

### 67" Edge 540 ARF



**NEW!**

WING SPAN: 67"  
OVERALL LENGTH: 64"  
WING AREA: 864 Sq. In.  
FLYING WEIGHT: 8 to 9 lbs.  
ENGINE: .60 to .90 2-Stroke  
RADIO: .90 to 1.20 4-Stroke  
4 - Channel  
6 - Servos

67" Edge 540 ARF #12046

### SKYLARK 70 MARK II ARF



**NEW!**

Wing Span: 70 1/2"  
Overall Length: 60"  
Wing Area: 907 Sq. In.  
Flying Weight: 7 1/2 to 8 1/4 lbs.  
Engine: .45-.65 2-Stroke  
.65-.80 4-Stroke  
Radio: 4 - Channel Radio  
5 - Servos (54oz. Min)

Skylark 70 ARF #12093

### Classic Skylane 62 ARF

The Goldberg Classic Skylane 62 is back and available as an ARF. Features flaps, wing struts, and complete hardware package.



**NEW!**

WING SPAN: 62"  
LENGTH: 50"  
WING AREA: 537 Sq. In.  
FLYING WEIGHT: 5 1/2 to 6 1/2 lbs.  
ENGINE: .40 to .46 2-Stroke  
RADIO: 5 - Channel  
7 - Servos

#12092 Classic Skylane 62 ARF


### FALCON 56 ARF MARK II



Wingspan: 56 Inches  
Overall Length: 47 1/4 Inches  
Wing Area: 558 Square Inches  
Power: .40-.46 2-Stroke  
.40 4-Stroke  
Radio: 4 - Channel 4 - Servos

Falcon 56 ARF #12050

### PITTS MONSTER EP ARF ELECTRIC POWER



Kit comes with a hardware package, including landing gear, wheels, painted cowl & wheel pants, and tinted canopy.

Wingspan: 38 Inches Top  
36 1/2" Bottom  
Overall Length: 35 Inches  
Wing Area: 447 Sq. In.  
Flying Weight: 1346g - 1408g (44 - 46 oz.)  
Power: AXI 18/10 to 28/12  
Radio: 4 - Channel  
4 - Micro Servos (27oz. min)

Pitts 400 ARF #12026

### 67" Yak 54 ARF

The 67" Yak 54 ARF's double beveled enlarged control surfaces and airfoiled tailgroup provide outstanding flight characteristics.

WING SPAN: 67"  
LENGTH: 64.5"  
WING AREA: 883 Sq. In.  
FLYING WEIGHT: 8 to 9 lbs.  
ENGINE: .60 to .90 2-Stroke  
.90 to 1.20 4-Stroke  
RADIO: 5 - Channel  
6 - Servos



**NEW!**

67" Yak 54 ARF #12044

### LASER 200 EP ARF

ELECTRIC OR GAS



**NEW!**

Wingspan: 45 Inches  
Overall Length: 36 1/2 Inches  
Wing Area: 332 Square Inches  
Weight: 543g Less Motor and Battery  
Flying Weight: 1142g (Motor & 11.1v 3300mAh (20c) Battery)  
Power: AXI 18/12 to 28/12 or .10 to .15 2 Stroke  
Radio: 4 - Channel  
4 - Micro Servos (27oz. min)

Laser 200 ARF #12019 Red  
Laser 200 ARF #12020 Blue

### Protégé ARF™

Protege ARF #12058

Wingspan: 71 1/2 Inches  
Overall Length: 65-3/4 Inches  
Wing Area: 890 Square Inches  
Flying Weight: 7 1/2 to 8 lbs.  
Power: .45 - .65 2-Stroke  
.65 - .80 4-Stroke  
Radio: 4 - Channel  
5 - Servos 54 oz. Min



**NEW!**

**VISIT US AT WWW.CARLGOLDBERGPRODUCTS.COM**

P.O. Box 818 Oakwood GA 30566 Phone #678-450-0085 Fax # 770-532-2163

# Trainer ARF's That only 40 Years Experience can make!

## Protégé ARF™



Wingspan: 71½ Inches  
Overall Length: 65-3/4 Inches  
Wing Area: 890 Square Inches  
Flying Weight: 7½ to 8 lbs.  
Power: .45 - .65 2-Stroke  
.65 - .80 4-Stroke  
Radio: 4 - Channel  
5 - Servos 54 oz. Min

Protége ARF #12058

The Protégé ARF is built with the quality craftsmanship you expect from an experienced builder. The two piece bolt-on wing with aluminum wing tube and bolt-on stabilizer lets you easily transport to the flying field. We've also included a complete hardware package including pushrods, fuel tank, & wheels. This 90% pre-built ARF has an all-wood airframe, jig built from lasercut parts, to ensure accurate and lightweight construction and a great color scheme from premium iron on covering. Get yours today and be at the field in no time.



## FALCON 56 ARF MARK II

Wingspan: 56 Inches  
Overall Length: 47¼ Inches  
Wing Area: 558 Square Inches  
Power: .40-.46 2-Stroke  
.40 4-Stroke  
Radio: 4 - Channel 4 - Servos



Falcon 56 ARF #12050

More people have successfully learned to fly RC on the Falcon 56™ than any other trainer in history. Now the Falcon 56 Mark II ARF™ will have you in the sky in no time. Light loading and smooth-transitioning aerodynamics put things in slow motion for beginners, while its semi-symmetrical airfoil rewards experienced flyers with graceful aerobatics. Carl Goldberg's Falcon 56 Mark II ARF is built with the quality craftsmanship you expect from an experienced builder. This 90% pre-built ARF has an all-wood airframe, jig built from lasercut parts, to ensure accurate and lightweight construction. We've included a complete hardware package, plastic canopy, and a great color scheme from premium iron on covering.



WINGSPAN: 63"  
WING AREA: 715 SQ.  
POWER: .29-.45 2-Cycle  
.46-.50 4-Cycle  
RADIO: 4 CHANNEL

Eagle 2 Kit #56  
Eagle 2 ARF #12056

Tens of thousands of new pilots have earned their wings on the Goldberg Eagle. And this Eagle 2 ARF has the same great features as the Eagle 2 - quality construction, first class hardware, and terrific flight characteristics. Its outstanding design

and aerodynamics provide super stability, smooth ground handling and take-offs, enhanced climb-to-glide transitions, and slow-as-a-walk landings. The only difference between the Eagle 2 and this ARF version is that this one gets you to the field quicker.

## Anniversary Edition™ Piper Cub ARF

Two great color schemes to choose from; Classic Yellow Cub or Red, White & Blue!

WING SPAN: 76½"  
WING AREA: 744 Sq. In.  
LENGTH: 50 ¼"  
WEIGHT: 7 to 7½ LBS.  
POWER: .40-.61 2 Stroke  
.40-.90 4 Stroke  
RADIO: 4 Chan 5 Servo

Now available as an ARF or a kit!

Designed with the same great qualities that were admired in our original Cub kit, the Anniversary Edition™ Piper Cub ARF is a scale-like floater that maneuvers great and lands nice and easy. It makes an excellent first sport-scale ARF or just a fun plane to fly for any advanced pilot.

## Classic Skylane 62 ARF

The Goldberg Classic Skylane 62 is back and available as an ARF. Features flaps, wing struts, and complete hardware package.

WING SPAN: 62"  
LENGTH: 50"  
WING AREA: 537 Sq. In.  
FLYING WEIGHT: 5½ to 6½ lbs.  
ENGINE: .40 to .46 2-Stroke  
RADIO: 5 - Channel  
7 - Servos

#12092 Classic Skylane 62 ARF

The Heritage Series Skylane 62 ARF is built from the blueprints of the classic kit version that dates back to the early 60s. For decades the Goldberg Skylane 62 was a favorite among new pilots and veterans alike. With its slow stable flight characteristics, the Heritage Series Skylane 62 ARF is great for this generations beginner. And when you're ready for something more, its airfoiled stab, shallow dihedral and flaps make it great for the more advanced pilot. Just like from the past, the Heritage Series Skylane 62 ARF features strong construction, and great flight performance. Its easy wing and strut mounting make it a great "everyday" airplane to take to the flying field. Inside the box you'll also find airfoiled shaped struts, clear plastic windows & windshield, and a complete hardware package. Like all Goldberg ARFs, the Heritage Series Skylane 62 ARF is 90% prebuilt and finished with premium iron-on covering.

## SR. FALCON ARF™



ARF #12086

WING SPAN: 69"  
WING AREA: 810 Sq. In.  
LENGTH: 53"  
WEIGHT: 6-7 LBS.  
POWER: .40-.46 2 Stroke  
RADIO: 4 Chan 5 Servo

The history making Sr. Falcon ARF™ is a sharp, sport airplane built from the blueprints of the classic Sr. Falcon kit. Back in the 60s & 70s, the Sr. Falcon™ was a 60 size airplane. With today's engine technology, the Sr. Falcon performs better than ever with most 40 size engines. For true tracking, smooth control response and predictability, nothing has ever topped the Sr. Falcon. Its light loading puts things in slow motion for beginners, but its semi-symmetrical airfoil and airfoil tailgroup lets flyers stretch out with surprisingly agile aerobatic performance. Just like the original kit, an all wood built up wing and airframe helps keep the Sr. Falcon lightweight. In addition, our modern 90% prebuilt ARF is covered in premium iron-on covering and includes a complete hardware package.

VISIT US AT [WWW.CARLGOLDBERGPRODUCTS.COM](http://WWW.CARLGOLDBERGPRODUCTS.COM)

P.O. Box 818 Oakwood GA 30566 Phone #678-450-0085 Fax # 770-532-2163

# Great Flying ARF's for Everybody!

## SR. FALCON ARF™



WING SPAN: 69"  
WING AREA: 810 Sq. In.  
LENGTH: 53"  
WEIGHT: 6-7 LBS.  
POWER: .40-.46 2 Stroke  
RADIO: 4 Chan 5 Servo

ARF #12086

## Anniversary Edition™ Piper Cub ARF

WING SPAN: 76½"  
WING AREA: 744 Sq. In.  
LENGTH: 50 ¼"  
WEIGHT: 7 to 7½ LBS.  
POWER: .40-.61 2 Stroke  
.40-.90 4 Stroke  
RADIO: 4 Chan 5 Servo



Two great color schemes to choose from; **Classic Yellow Cub** or **Red, White & Blue!**

**NEW!**

**Classic Yellow ARF #12063**  
**Red, White, & Blue ARF #12064**  
**Anniversary Edition™ Kit #63**

**Now available as an ARF or a kit!**

Designed with the same great qualities that were admired in our original Cub kit, the Anniversary Edition™ Piper Cub ARF is a scale-like floater that maneuvers great and lands nice and easy. It makes an excellent first sport-scale ARF or just a fun plane to fly for any advanced pilot.

## SKYLARK 56 MARK II ARF™

WING SPAN: 56"  
WING AREA: 558 Sq. In.  
LENGTH: 47 ¾"  
WEIGHT: 5-6 LBS.  
POWER: .40-.46 2 Stroke  
RADIO: 4 Chan 5 Servo



ARF #12085

## Classic Skylane 62 ARF

The Goldberg Classic Skylane 62 is back and available as an ARF. Features flaps, wing struts, and complete hardware package.

WING SPAN: 62"  
LENGTH: 50"  
WING AREA: 537 Sq. In.  
FLYING WEIGHT: 5½ to 6½ lbs.  
ENGINE: .40 to .46 2-Stroke  
RADIO: 5 - Channel  
7 - Servos



**NEW!**

#12092 Classic Skylane 62 ARF

## SKYLARK 70 MARK II ARF

Wing Span: 70½"  
Overall Length: 60"  
Wing Area: 907 Sq. In.  
Flying Weight: 7½ to 8½ lbs.  
Engine: .45-.65 2-Stroke  
.65-.80 4-Stroke  
Radio: 4 - Channel Radio  
5 - Servos (54oz. Min)



**NEW!**

Skylark 70 ARF #12093

## Tiger 120 ARF™

WING SPAN: 80 Inches  
OVERALL LENGTH: 72 Inches  
WING AREA: 1143 Square Inches  
FLYING WEIGHT: 10½ to 11½ lbs.  
ENGINE: .75-1.08 2-Stroke  
.91-1.20 4-Stroke  
RADIO: 5 - Channel Minimum  
8 - Servos



**NEW!**

Tiger 120 ARF™ #12077

## Decathlon ARF



Wingspan: 80-3/4"  
Wing Area: 969 Sq. In.  
Flying Weight: 9.5 - 10.5 LBS.  
Power: .61 - .75 2-cycle  
.70 - .91 4-cycle

Decathlon ARF #12069

It's easy to see why the Decathlon is a leader among aerobatic champions: clean lines, long tail moment, and a wing design that performs like no other. From knife edge to split S,

lumcevac to torque roll, and snap roll loop to ground-hugging inverted flight -- all are straight and true. What's more, the 80" wingspan makes this a perfect IMAA competitor.

## Gentle Lady™ & Gentle Lady ARF™

Gentle Lady Kit #60  
Gentle Lady ARF #12060



Wing Span 78 ¼"  
Length 41"  
Weight 22-25 oz  
For 2 - Channel Radio  
and Tow, Slop, or  
.049-.10 engine

**The Gentle Lady is now an ARF!**

Now you don't have to spend the time to build the kit. Goldberg's Gentle Lady - is possibly America's favorite beginner glider ever since it's introduction in the 1980's. You've certainly watched one, possibly piloted one. There's even a good chance you've built and flew the heck out of it for years.

## The Tiger Family

### The Tiger 2 ARF™

THE TIGER 2  
Wingspan: 61"  
Wing Area: 680 Sq. In.  
Length: 54"  
Flying Weight: 4.75 to 5.25 lbs.  
Power: .40 - .45 2-cycle  
.40 - .50 4-cycle

Tiger 2 Kit #66  
Tiger 2 ARF #12066

Tiger 60 Kit #68  
Tiger 60 Deluxe Kit #62 (With Retracts)  
Tiger 60 ARF #12068



Wingspan: 70"  
Wing Area: 855 Sq. In.  
Length: 62¼"  
Flying Weight: 7.5 lbs.  
Power: .45 - .65 2-cycle  
.65 - .80 4-cycle

### The Tiger 60 ARF™

**The Tiger 2™ and Tiger 60™ are also available as a kit!**

**VISIT US AT WWW.CARLGOLDBERGPRODUCTS.COM**

P.O. Box 818 Oakwood GA 30566 Phone #678-450-0085 Fax # 770-532-2163



The ELECTRIC POWER  
ARF Series From Carl  
Goldberg Products!

## PITTS MONSTER EP ARF ELECTRIC POWER

Kit comes with a hardware package, including landing gear, wheels, painted cowl & wheel pants, and tinted canopy.



**NEW!**

Wingspan: 38 Inches Top  
36 1/2" Bottom  
Overall Length: 35 Inches  
Wing Area: 447 Square Inches  
Flying Weight: 1346g - 1408g (44 - 46 oz.)  
Power: AXI 18/10 to 28/12  
Radio: 4 - Channel  
4 - Micro Servos (27oz. min)

Pitts 400 ARF #12026

Goldberg's Legendary Trainer is  
now electric! Includes 400  
Motor and Geardrive.

## EAGLE 400 ARF



ARF #12080

Wing Span: 38"  
Wing Area: 254 Sq. In.  
Includes 400 Motor w/ Gear Drive  
4-Channel 3-Micro Servos

## SHOCK 3-D ARF



Wing Span 39 1/4"  
Wing Area 318 1/2 Sq. In.  
Requires Brushless Motor  
4-Channel 4-Micro Servos

ARF #12087

Ultra Lightweight with oversized control surfaces for  
● amazing Extreme 3-D flight! For Expert Flyers.

## HUSKY 400 ARF

ARF #12042




**NEW!**

Wing Span 37 3/4"  
Wing Area 217 Sq. In.  
Requires Brushless  
Motor  
5-Channel 6-Micro  
Servos

## ENDURANCE 400 ARF

Includes folding prop & spinner  
Features lightweight fiberglass fuselage  
& V-Tail configuration.

Wing Span: 62-3/8"  
Includes 400 Motor w/ With  
Orbital Gear Drive  
4-Channel 3-Micro Servos



ARF #12082

# Electric ARF's Made Simple! LASER 200 EP ARF

ELECTRIC OR GAS



Laser 200 ARF #12019 Red  
Laser 200 ARF #12020 Blue

Wingspan: 45 Inches  
Overall Length: 36 1/2 Inches  
Wing Area: 332 Square Inches  
Weight: 543g Less Motor and Battery  
Flying Weight: 1142g (Motor & 11.1v 3300mAh (20c) Battery)  
Power: AXI 18/12 to 28/12 or .10 to .15 2 Stroke  
Radio: 4 - Channel  
4 - Micro Servos (27oz. min)

## TIGER 400 ARF



ARF #12081

Wing Span 39"  
Wing Area 297 Sq. In.  
Includes 400 Motor  
w/ Gear Drive  
4-Channel 4-Micro  
Servos

Great 2nd Electric! Perfect for Intermediate &  
Expert Flyers! 400 Motor and Gear Drive  
Included.

## Super CHIPMUNK 400 ARF



**NEW!**

ARF #12023

Wing Span 38"  
Wing Area 230 Sq. In.  
Requires Brushless  
Motor  
4-Channel 4-Micro  
Servos

## SURGE 400 ARF



**NEW!**

ARF #12024

Wing Span 30"  
Wing Area 300 Sq. In.  
Requires Brushless  
Motor  
4 or 5-Channel 6-Micro  
Servos

## ELECTRA™ & ELECTRA ARF™

Electra Kit #40  
Electra ARF #12040



Wing Span 78 1/4"  
Length 41"  
Weight 48 oz  
Includes .05 Electric Motor  
For 2 or 3 Channel Radio

The Electra ARF™ is based on our own  
proven and popular Electra Kit. Years of experi-  
ence with the Electra has shown us that the only way to improve on the kit was to make it an  
ARF. So, we did. Her special motor gives you almost five minutes of solid climb on a standard  
six cell pack, and her superb aerodynamics do the rest.

VISIT US AT [WWW.CARLGOLDBERGPRODUCTS.COM](http://WWW.CARLGOLDBERGPRODUCTS.COM)

P.O. Box 818 Oakwood GA 30566 Phone #678-450-0085 Fax # 770-532-2163

# Aerobatic ARF's for all flying skills

## 67" Yak 54 ARF

The 67" Yak 54 ARF's double beveled enlarged control surfaces and airfoiled tailgroup provide outstanding flight characteristics.

WING SPAN: 67"  
 LENGTH: 64.5"  
 WING AREA: 883 Sq. In.  
 FLYING WEIGHT: 8 to 9 lbs.  
 ENGINE: .60 to .90 2-Stroke  
 .90 to 1.20 4-Stroke  
 RADIO: 5 - Channel  
 6 - Servos



**NEW!**

67" Yak 54 ARF #12044

## 77" Yak 54 ARF

WING SPAN: 77"  
 LENGTH: 72"  
 AREA: 1139 Sq. In.  
 WEIGHT: 13-14 lbs.  
 ENGINE: 1.20-2.2 2-cycle  
 1.20-1.80 4-cycle  
 1.2-2.4 Gas  
 RADIO: 4 - Channel Min.  
 8 - Servos



**NEW!**

77" Yak 54 ARF #12043

## 67" Edge 540 ARF

**NEW!**

WING SPAN: 67"  
 OVERALL LENGTH: 64"  
 WING AREA: 864 Sq. In.  
 FLYING WEIGHT: 8 to 9 lbs.  
 ENGINE: .60 to .90 2-Stroke  
 RADIO: .90 to 1.20 4-Stroke  
 4 - Channel  
 6 - Servos




67" Edge 540 ARF #12046

## 77" Edge 540 ARF

The perfect mix of precision and aerobatic performance, this lightweight airshow champ is capable of unlimited aerobatics.

WING SPAN: 77"  
 LENGTH: 74"  
 WING AREA: 1139 Sq. In.  
 FLYING WEIGHT: 12 1/2 to 13 1/2 lbs.  
 ENGINE: 1.20 - 2.2 2-Stroke  
 RADIO: 1.20 - 1.80 4-Stroke  
 1.2 - 2.4 Gas  
 4 - Channel  
 8 - Servos



**NEW!**

77" Edge 540 ARF #12045

## Wild Stik 40 ARF™

Wild Stik™ features oversized control surfaces and flaps!

The Wild Stik 40 ARF is the perfect no hassle 3-D airplane, when all you want to do is fly. It's capable of any full-stall, 3-D maneuver you can command. Double beveled oversized control surfaces deliver unbeatable aerobatic performance. You can engage the oversized flaps to increase lift at just the right time for critical slow speed maneuvers, execute enhanced flight configurations using them in conjunction with ailerons & elevators, or set them up as extensions of your ailerons for added throws.



ARF #12083

Wing Span: 52 1/2"  
 Wing Area: 728 Sq. In.  
 Length: 44"  
 Weight: 4-3/4 lbs.  
 Power: .40-.50 2-Stroke  
 .50-.70 4-Stroke  
 Radio: 4 or 5 - Chan.  
 7 - Servos

## Hot Stik 40 ARF™

Great easy-to-track fluorescent color scheme!



Hot Stik 40 ARF #12091

**NEW!**

This low wing ARF is capable of any maneuvers you can command. Features flaps and aluminum landing gear.

WING SPAN: 52"  
 LENGTH: 51"  
 WING AREA: 725 Sq. In.  
 FLYING WEIGHT: 4-1/4 to 4-3/4 lbs.  
 ENGINE: .40-.46 2-Stroke  
 RADIO: 4 - Channel  
 7 - Servos

## 77" Extra 330 ARF

WINGSPAN: 77"  
 WING AREA: 1118 SQ. IN.  
 LENGTH: 67 1/2"  
 WEIGHT: 13-14 LBS.  
 POWER: 1.20-1.80 2-Stroke  
 1.20-2.2 4-Stroke  
 RADIO: 4 CHAN  
 8 SERVOS



EXTRA 330 ARF #12041

## Wild Stik 120 ARF™

The Wild Stik 120 ARF™ is a great no fuss airplane. This 1.20 size aerobatic champ is capable of any full-stall, thrust-vectoring maneuvers you can command. Double beveled oversized control surfaces deliver unbeatable aerobatic performance. You can engage the oversized flaps to increase lift at just the right time for critical slow speed maneuvers or execute enhanced flight configurations using them in conjunction with ailerons. Like all Goldberg ARFs, the Wild Stik 120 ARF is 90% pre-built and features top-quality hardware.



ARF #12084

Wing Span: 71"  
 Wing Area: 1315 Sq. In.  
 Length: 44"  
 Weight: 9 - 9 1/2 lbs.  
 Power: .91 - 1.60 2-Stroke  
 .91 - 1.80 4-Stroke  
 Radio: 4 or 5 - Chan.  
 8 - Servos

VISIT US AT [WWW.CARLGOLDBERGPRODUCTS.COM](http://WWW.CARLGOLDBERGPRODUCTS.COM)

P.O. Box 818 Oakwood GA 30566 Phone #678-450-0085 Fax # 770-532-2163

# Decathlon ARF



Wingspan: 80-3/4"  
 Wing Area: 969 Sq. In.  
 Flying Weight: 9.5 - 10.5 LBS.  
 Power: .61 - .75 2-cycle  
 .70 - .91 4-cycle

**Decathlon ARF #12069**

It's easy to see why the Decathlon is a leader among aerobatic champions: clean lines, long tail moment, and a wing design that performs like no other. From knife edge to split S,

lumcevac to torque roll, and snap roll loop to ground-hugging inverted flight - all are straight and true. What's more, the 80" wingspan makes this a perfect IMAA competitor.

## THE ULTIMATE 10 DASH 300



WINGSPAN: 54"  
 WING AREA: 980 Sq. In.  
 LENGTH: 57 1/2"  
 WEIGHT: 7 1/2-8 1/2 Lbs.  
 POWER: .60 2-cycle  
 .90-1.20 4-cycle

Available as a Kit or ARF!

**Ultimate 10 Dash 300 Kit #53**  
**Ultimate 10 Dash 300 ARF #12053**

Nothing flies like a Goldberg Ultimate - except this Ultimate ARF. Frankly, even we are amazed at how exactly the flight characteristics of this almost-ready-to-fly match the kit version. It's just as straight-tracking and docile, when you want it to be. But turn it

loose and you'll thrill to its phenomenal knife-edge capability, on-the-button snaps, and long, smooth slow rolls. And when you're ready to return to earth, you can count on its slow-as-a-walk, feather-soft landings.



# Planes from Goldberg's Past Returns as ARF's!

## Classic Skylane 62 ARF

The Goldberg Classic Skylane 62 is back and available as an ARF. Features flaps, wing struts, and complete hardware package.

WING SPAN: 62"  
 LENGTH: 50"  
 WING AREA: 537 Sq. In.  
 FLYING WEIGHT: 5 1/2 to 6 1/2 lbs.  
 ENGINE: .40 to .46 2-Stroke  
 RADIO: 5 - Channel  
 7 - Servos



#12092 Classic Skylane 62 ARF

## SKYLARK 70 MARK II ARF

Wing Span: 70 1/2"  
 Overall Length: 60"  
 Wing Area: 907 Sq. In.  
 Flying Weight: 7 1/2 to 8 1/4 lbs.  
 Engine: .45-.65 2-Stroke  
 .65-.80 4-Stroke  
 Radio: 4 - Channel Radio  
 5 - Servos (54oz. Min)



Skylark 70 ARF #12093

The Skylark 70 Mark II ARF™ is a sharp, sport airplane inspired from the blueprints of the classic Skylark kit. Just like its smaller counterpart, the Skylark 70 Mark II ARF features strong construction, and great flight performance. Our modern 90% prebuilt ARF is covered in premium iron-on covering and includes a complete hardware package. If you want a fun-to-fly ship with pattern capability, the Skylark 70 Mark II ARF™ is the one for you!

## SKYLARK 56 MARK II ARF™

WING SPAN: 56"  
 WING AREA: 558 Sq. In.  
 LENGTH: 47 3/4"  
 WEIGHT: 5-6 LBS.  
 POWER: .40-.46 2 Stroke  
 RADIO: 4 Chan 5 Servo



ARF #12085

## SR. FALCON ARF™

WING SPAN: 69"  
 WING AREA: 810 Sq. In.  
 LENGTH: 53"  
 WEIGHT: 6-7 LBS.  
 POWER: .40-.46 2 Stroke  
 RADIO: 4 Chan 5 Servo



ARF #12086

## FALCON 56 ARF MARK II

Wingspan: 56 Inches  
 Overall Length: 47 1/4 Inches  
 Wing Area: 558 Square Inches  
 Power: .40-.46 2-Stroke  
 .40 4-Stroke  
 Radio: 4 - Channel 4 - Servos




Falcon 56 ARF #12050

**VISIT US AT WWW.CARLGOLDBERGPRODUCTS.COM**

P.O. Box 818 Oakwood GA 30566 Phone #678-450-0085 Fax # 770-532-2163

# Carl Goldberg Products Classic Kits

Trainer kits that are as easy to build as they are to



## eaglet 50™

50" R/C MODEL FOR 2 TO 4 CHANNEL RADIO AND .09 TO .25 ENGINES Kit #61

The EAGLET 50 is designed for really easy building. Assembling the parts is simple and accurate and surprisingly fast - even if you've never built a model before. The photo instruction booklet shows you one easy step at a time. With the full-size plan, you see exactly where everything goes, and in a few evenings you're done. In the air, EAGLET 50 is

gentle enough for the novice, yet sporty for the experienced flyer. Throttled back, it flies slowly and stably - wide open it scoots and stunts! And it's tough, because it's mostly laser cut plywood and hardwoods. Pick one up today and get ready for some real fun!



## FREEDOM 20™

Kit #57

WINGSPAN: 55½"  
WING AREA: 440 SQ. "  
POWER: .20-.30 2-CYCLE  
.20-.30 4-CYCLE  
RADIO: 4 CHANNEL

Even if you're an inexperienced builder, assembling your Freedom 20 will be a breeze. You'll work with self-aligning components of laser-cut balsa and cnc cut plywood. All the fittings and hardware you'll need are included, plus you'll be guided by clearly-illustrated, easy-to-follow plans and instructions.



WINGSPAN: 56 "  
WING AREA: 558 SQ. "  
POWER: .35-.45 2-CYCLE  
.45-.65 4-CYCLE  
RADIO: 4 CHANNEL

The modern version of the plane that revolutionized RC sport flying! Light loading and smooth-transitioning aerodynamics put things in slow motion for beginners, while its semi-symmetrical airfoil rewards experienced flyers with graceful aerobatics. Balsa-and-ply interlocking construction guarantees true-tracking performance.

Kit #50

## FALCON III™

WINGSPAN: 71.5"  
WING AREA: 890 SQ."  
FLYING WEIGHT: 7.0-7.75 LBS.  
POWER: .40-.60 2-CYCLE  
.65-.80 4-CYCLE



## The Protégé™

Kit #58

The Protégé is more than just a great trainer, it's the first trainer actually designed to keep pace with your piloting progress. Its force arrangement and raised-entry, flat-bottomed airfoil produce the perfect degree of inherent stability for predictable, confidence-building first flights. Then, as your skills improve, simple adjustments transform your Protégé into a gently responsive sport model capable of all the primary maneuvers - including outside loops.

## EAGLE 2™ & EAGLE 2 ARF™



WINGSPAN: 63 "  
WING AREA: 715 SQ. "  
POWER: .29-.45 2-Cycle  
.46-.50 4-Cycle  
RADIO: 4 CHANNEL

Eagle 2 Kit #56  
Eagle 2 ARF #12056

Tens of thousands of new pilots have earned their wings on the Goldberg Eagle. And this Eagle 2 ARF has the same great features as the Eagle 2 - quality construction, first class hardware, and terrific flight characteristics. Its outstanding design and aero-dynamics provide super stability, smooth ground handling and take-offs, enhanced climb-to-glide transitions, and slow-as-a-walk landings. The only difference between the Eagle 2 and this ARF version is that this one gets you to the field quicker.

Great Sunday fliers that are a the next step above a trainer!

## The Tiger Family



### The Tiger 2 ARF™

THE TIGER 2

Wingspan: 61"  
Wing Area: 680 Sq."  
Length: 54"  
Flying Weight: 4.75 to 5.25 lbs.  
Power: .40 - .45 2-cycle  
.40 - .50 4-cycle

Tiger 2 Kit #66  
Tiger 2 ARF #12066

Tiger 60 Kit #68  
Tiger 60 Deluxe Kit #62 (With Retracts)  
Tiger 60 ARF #12068

Wingspan: 70"  
Wing Area: 855 Sq."  
Length: 62½"  
Flying Weight: 7.5 lbs.  
Power: .45 - .65 2-cycle  
.65 - .80 4-cycle

### Anniversary Edition™ Piper Cub ARF

WING SPAN: 76½"  
WING AREA: 744 Sq. In.  
LENGTH: 50 ¼"  
WEIGHT: 7 to 7½ LBS.  
POWER: .40-.61 2 Stroke  
.40-.90 4 Stroke  
RADIO: 4 Chan 5 Servo

Two great color schemes to choose from: Classic Yellow Cub or Red, White & Blue!

**NEW!**

Now available as an ARF or a kit!

Classic Yellow ARF #12063  
Red, White, & Blue ARF #12064  
Anniversary Edition™ Kit #63

Designed with the same great qualities that were admired in our original Cub kit, the Anniversary Edition™ Piper Cub ARF is a scale-like floater that maneuvers great and lands nice and easy. It makes an excellent first sport-scale ARF or just a fun plane to fly for any advanced pilot.

VISIT US AT [WWW.CARLGOLDBERGPRODUCTS.COM](http://WWW.CARLGOLDBERGPRODUCTS.COM)  
P.O. Box 818 Oakwood GA 30566 Phone #678-450-0085 Fax # 770-532-2163

# Unlimited Aerobatics!

## The Extra 300

If there's a scale aerobatic subject that can challenge the popularity of the Ultimate biplane, we've got to believe it's Walter Extra's 300 hp mid-wing masterpiece.

So here's a big beautiful version of the Extra that's affordable to own, a joy to build and a blast to fly.

THE EXTRA Kit #55

WINGSPAN: 68"  
WING AREA: 850 SQ. IN.  
LENGTH: 61"  
WEIGHT: 7½-8½ LBS.  
POWER: 60-75 2-cycle  
.80-1.20 4-cycle

## THE ULTIMATE 10 DASH 300



WINGSPAN: 54"  
WING AREA: 980 Sq. In.  
LENGTH: 57½"  
WEIGHT: 7½-8½ Lbs.  
POWER: .60 2-cycle  
.90-1.20 4-cycle

Available as a Kit or ARF!

Nothing flies like a Goldberg Ultimate – except this Ultimate ARF. Frankly, even we are amazed at how exactly the flight characteristics of this almost-ready-to-fly match the kit version. It's just as straight-tracking and docile, when you want it to be. But turn it

Ultimate 10 Dash 300 Kit #53

Ultimate 10 Dash 300 ARF #12053

loose and you'll thrill to its phenomenal knife-edge capability, on-the-button snaps, and long, smooth slow rolls. And when you're ready to return to earth, you can count on its slow-as-a-walk, feather-soft landings.

## SUPER CHIPMUNK!



Super Chipmunk Kit #52

WINGSPAN: 64"  
WING AREA: 688 SQ."  
FLYING WEIGHT: 6-8 lbs.  
LENGTH OVERALL: 53"  
POWER: .45-.60 2-CYCLE  
.60-.90 4 CYCLE

At last there's a sport-scale Super Chipmunk that's as practical as it is good-looking. With a .45 to .51 two cycle - or a .60 four-cycle, the CG Super Chipmunk is a dandy Sunday flyer with the kind of smoothness and stability that makes it a great choice as a first "low winger." Or bolt in a .60 two-cycle - or an .80 to .90 four-cycle, and you'll be able to put on your own airshow.

## Kits for the fun of it!

### SUPERFLOATS 36 ARF™

Includes all mounting hardware for the Anniversary Edition™ Piper Cub ARF.

Ready to install with pre-covered built-up pontoon floats.

Fits most 6 to 9 pound airplanes with very little modification.

Also available as a kit!



**NEW!**

Superfloats ARF™ #12296  
Superfloats™ Kit #296

## Kits for the Quiet side of flying!

### Mirage 550™

Mirage 550 Kit #42

Rave reviews have confirmed our claim that nothing tops the Mirage's combination of sparkling performance, deluxe features, and easy-to-build simplicity. Hands-off stability and long glide make the Mirage 550 a beginner's delight and its advanced aero-dynamics deliver performance that even an expert will appreciate.

Wing Span 54"  
Length 39"  
Weight 45- 50 oz.  
(With Radio, Ready to Fly)  
2 to 3-Channel  
.05 Electric

### Gentle Lady™ & Gentle Lady ARF™

Gentle Lady Kit #60  
Gentle Lady ARF #12060



#### The Gentle Lady is now an ARF!

Now you don't have to spend the time to build the kit. Goldberg's Gentle Lady - is possibly America's favorite beginner glider ever since its introduction in the 1980's. You've certainly watched one, possibly piloted one. There's even a good chance you've built and flew the heck out of it for years.

Wing Span 78 ¼"  
Length 41"  
Weight 22-25 oz  
For 2 - Channel Radio and Tow, Slop, or .049-.10 engine

### THE SOPHISTICATED LADY™

She's a high-flying beauty with a personality that couldn't be more down-to-earth.

So don't let her high-tech T-tail scare you. She builds easy and handles like a trainer. What's more, she'll shrug off standard 2-meter high-starts and her exceptionally low sink-rate will reward you with impressive durations.

Sophisticated Lady Kit #59

Wing Span 78¼"  
Length 43"  
Weight 29 oz. (With radio, Ready to Fly)  
2 Channel

### ELECTRA™ & ELECTRA ARF™

Electra Kit #40  
Electra ARF #12040



Wing Span 78 ¼"  
Length 41"  
Weight 48 oz  
Includes .05 Electric Motor For 2 or 3 Channel Radio

The Electra ARF™ is based on our own proven and popular Electra Kit. Years of experience with the Electra has shown us that the only way to improve on the kit was to make it an ARF. So, we did. Her special motor gives you almost five minutes of solid climb on a standard six cell pack, and her superb aerodynamics do the rest.

VISIT US AT [WWW.CARLGOLDBERGPRODUCTS.COM](http://WWW.CARLGOLDBERGPRODUCTS.COM)

P.O. Box 818 Oakwood GA 30566 Phone #678-450-0085 Fax # 770-532-2163





Kit #105

## Monster Tote™

With six sliding drawers, top tray for transmitters, an adjustable cradle to hold your airplanes, and space to mount a power panel, field charger, one gallon container, and fuel pump this tote is all you need take to the field with your airplane.

## SUPER TOTE™

From the logic of its layout to the high quality of its precisely cut materials, the CG Super Tote is a real winner. Your equipment is right where you want it, and with its balanced load and narrow profile, the Super Tote even carries better than the others.



Kit #102

## FUEL TOTE™



Kit #104

Stop spilling precious fuel all over the interior or trunk of your vehicle. Holds two 1 gallon containers. Balanced design and wide base make it easy to carry while keeping fuel containers upright where they belong.

## MINI TOTE™

The Mini Tote may be small in size, but it offers maximum convenience. Its lightweight, well balanced design makes transporting the essentials economical and hassle-free. Low parts count ensures fast easy assembly. Finish it in your favorite colors.



Kit #101

## MINI HOLD'EM™



Kit #103

Mini Hold'em™ is engineered for the mini airplanes you fly. It's made from 1/4" plywood, to ensure the Mini Hold'em will last season after season. Cradle length adjusts from 7" to 20" to fit most fuselage sizes. Foam tubing included to protect your finish while you make adjustments or assemble your airplane. Mini Hold'em is a great cradle to work at home or take to the field.

**NEW!**

## Electro Tote™



**NEW!**

Kit #106

The Electro Tote™s modular design allows multiple configurations to suit your exact needs. The Electro Tote comes with a Quik Chill Battery Cooler™, which includes an electric fan, banana plugs, and female connectors. Assembly and painting required.




Kit #107

Finish in your favorite color!

## SUPER TOTE 2™ RTU

With no assembly required you'll be at the field in no time. The Super Tote 2 RTU is preassembled from high quality precisely cut materials and includes a complete hardware package. The Super Tote 2 comes pre-painted, available in red or blue, and includes decals.

Super Tote 2 RED #12110  
Super Tote 2 BLUE #12111



Choose from Red or Blue Finish!

## SUPER HOLD'EM™

Super Hold'em™ is engineered for the airplanes you fly. Cradle length adjusts from 13 3/4" to 26 1/2" to fit most fuselage sizes. Super Hold'em has a larger center drawer and tray to hold all your tools and building supplies. Super Hold'em is a great cradle to work at home or take to the field.



**NEW!**

# GO FOR THE BLUE

For Dependable Hardware and Accessories always "Go For the Blue."

## Assorted Spinner Nuts



Goldberg Spinner Nuts are top quality and available in assorted sizes. Choose from four anodized finishes (black, red, blue, yellow) or Polished Nickel Chrome finish. Larger diameter sizes have hex socket for easy tightening.

## Hardened Steel Nickel Plated Tailwheels

Carl Goldberg Products' tailwheel is made from hardened steel for unbeatable strength and is plated with polished nickel for a show finish. CGP tailwheel assemblies are available in 3 sizes; small size for 6-12 lb., medium for 10-18 lb., and large for 16-35 lb. airplanes.



## Main Landing Gears & Profile Landing Gears



Goldberg Landing Gears are lightweight and extremely durable. Premolded glass filled reinforced, they mount easily and can take a beating. CGP Main Gears for .40 to .60 size airplanes. CGP Profile Gears are for .40 size airplanes. Includes two 5/32" X 1 1/4" Polished Nickel Spring Steel Axles.

## Adjustable Motor Mounts & Adjustable Motor Mounts with Nosegear.

Goldberg's Adjustable Motor Mount and Adjustable Motor Mount with Nosegear are the perfect fit for .25-.50 2 Stroke Engines.



## JET Model Mate™

Jet Model Mate™ fills the grain in wood and seals holes in fiberglass, helping you create the perfect finish. And unlike other fillers, Jet Model Mate's special adhesion qualities come without excessive weight, and it's unsurpassed for strength and sandability. Available in both balsa tint and white.

VISIT US AT [WWW.CARLGOLDBERGPRODUCTS.COM](http://WWW.CARLGOLDBERGPRODUCTS.COM)


P.O. Box 818 Oakwood GA 30566 Phone #678-450-0085 Fax # 770-532-2163

# CGM ACCESSORIES

## JET HINGE™

The Jet Hinge was designed for R/C hinge applications using CA adhesive technology. The corners are rounded to allow ease of insertion. Perforated nylon allows for maximum glue grab and added security. Two thicknesses and weights cover modeling needs from the smallest .020 to 2.0 c.i. 24 hinges per package.


.40 thru 2.0 c.i. #210  
Up to .40 c.i. #211



## HINGE SLOTTING KIT

When our original Hinge Slotting Kit was introduced at Toledo several years ago, people came from all over the hall to watch the demonstrations. Here is the Deluxe version, complete with Centering Guide, Special Aluminum Handle, Centerline Marker, Regular and Small Slotting Fork Blades, and Hook Blade. Serves every common hinging need – even “point” type hinges. Be sure to get the CGM total hinge slotting system.


- Deluxe Hinge Slotting Kit #600
- Centering Guide #606
- Slotting Fork Blade, Regular #601
- Slotting Fork Blade, Small #602
- Slotting Hook Blade #603
- Centerline Marker #607



## SNAP LINK & MINI-SNAP LINK (PAT. 3711134)


Now you can buy a truly safe link – the Snap-Link! Tiny 45° shoulder snaps through arm, prevents accidental opening. So unique it's patented. One-piece design – no separate pieces that might come apart.

- Snap-Links (2) #310
- Mini-Snaps (2) #311
- Snap-Links (6) #321
- Mini-Snaps (6) #320
- Snap-Link w/rod (5) #330
- Mini-Snap w/ rod (5) #331
- Link Rods (6) #350



## AILERON PUSHROD True 1/16" wire!


Don't drill out servo arms! Use true 1/16" aileron pushrods. Threaded rods are usually oversize 1/16" and won't go into servo arm holes without drilling. These Aileron Pushrods are TRUE 1/16"! Get two each of our Snap Links and 7" Rods in package #351.



## AILERON COUPLER

At last, a simple way to couple conventional aileron pushrods to your servo output arm. Study the picture a moment, and you'll see how it's done.

#363



## AILERON BELLCRANK


Bellcrank has steel bushing of proper size, so crank can be screwed firmly in place without binding. No electrical noise – all metal parts are screwed tightly together. Two cranks, etc., per pkg.

#420



## STRIP AILERON HORN SET

- Six Pieces per Set
- 3/32" Wire #402
  - 3/32" Brackets (4) #411
  - 1/8" Brackets (4) #412



## CONTROL HORN

Our Control Horns have the upright part rising from the center of the base for maximum stability. Holes are right size for 1/16" wire; nut plate for simplest mounting. Screws included.

- Long Horn #440
- Short Horn #441



## HARDENED STEEL WHEEL COLLAR

CGM collars are different – hardened steel. No soft threads. Pkg. of 4.

- 1/16" #490
- 3/32" #491
- 1/8" #492
- 5/32" #493
- 3/16" #494



## NYLON LANDING GEAR STRAP

These tough Nylon Straps provide strong and electrically noiseless strut retention. Two sizes. Pack contains 4 straps, 8 screws.

- 3/8" #290
- 1/2" #291



## NYLON LANDING GEAR CLAMP

For 5/32" and 1/8" wire. Molded of tough nylon. 4 per package. Screws included.

- 1/8" #286
- 5/32" #287




VISIT US AT [WWW.CARLGOLDBERGPRODUCTS.COM](http://WWW.CARLGOLDBERGPRODUCTS.COM)

P.O. Box 818 Oakwood GA 30566 Phone #678-450-0085 Fax # 770-532-2163

### NYLON TAILWHEEL BRACKET


The simplest tailwheel mounting bracket yet—just cut a slot in the rear bottom of the fuselage, smear epoxy on the glue fin, and slide into place.



#460

### NYLON WING SKIDS

Even top fliers can't keep gusty winds from dropping a wing tip to the runway while landing. CGM Nylon Wing Skids help prevent ugly scrapes.



#461

### 1/16" THREADED COUPLER


Have you ever had a coupler break where the thread adjoins the body? Threaded Couplers use a different manufacturing method, making a stronger unit where the thread ends. Two per package, for joining 1/16" wire to clevis.



#359

### PUSHROD CONNECTOR

Once again, a CGM accessory turns a tough, irritating job into a breeze! Our Pushrod Connector requires NO SOLDERING or PEENING! Tough nylon Snap Nut snaps easily over fine grooves, yet requires a knife blade to pry it off. Can be reused over and over.




Pkg. of 2.

#360 Replacement snap nuts  
#362, pkg. of 6



### SNAP'R KEEPER


Quickest, handiest way to secure pushrod wire end to servos, horns, etc. Works on wire 3/64" to 5/64" in diameter. Pkg. of 4.



#361

### 90° MOUNTING BRACKET


Dozens of uses! Mount cowls, canopies, internal pushrod guides, etc. Molded of nylon. 4 per package with screws.



#462

### FLAT AND ANGLE HOLDOWN

Small, strong molded brackets come with mounting screws and instructions. Mount canopies, hatches, struts, etc. Flat hold down has side or in-line action and comes 4 units per package; Angle hold down package includes 2 left and 2 right brackets per package.



Flat #463 Angle #464

### STEERABLE NOSEGEAR SETS

All Sets include nylon Nosegear Bearing, Steering Arm, Blind Nuts, Screws, etc.

3/32" STEERABLE NOSEGEAR SET #260

Complete set for small models, 3/32 music wire stud. Bend axle to suit your model.

1/8" STEERABLE NOSEGEAR SET #261

Set for medium-size models. 1/8" music wire strut with fixed axle.

5/32" STEERABLE NOSEGEAR SET #262

Nosegear Set for large models. 5/32" music wire strut with fixed axle.

5/32" STEERABLE NOSEGEAR SET with ADJUSTABLE AXLE #267

5/32" NOSEGEAR STRUT with Adjustable Axle. #272

Set for large models. Comes with 5/32" music wire strut with axle you can adjust to the needs of your model.



### NYLON NOSEGEAR BEARING

Complete with Blind Nuts and Screws.

For 1/8" Strut #276  
For 5/32" Strut #277

### NYLON STEERING ARM


For 1/8" Strut #280  
For 5/32" Strut #281

### 5/32" ADJUSTABLE AXLE

#300

### NYLON REINFORCING TAPE

Tremendous strength is obtained when tape is applied with Super Jet™ or epoxy on crucial structures, such as joined wing halves. Tapes are 5-ft. long in widths ranging from 3/4" to 6."




3/4"	Nylon Tape	#450
2 1/2"	Nylon Tape	#451
4"	Nylon Tape	#452
6"	Nylon Tape	#453

### PROTECT YOUR MODEL WITH SCUFF GUARD™

Simply apply a strip of Scuff Guard™ to wing tips and other damage-prone areas. It's super tough, flexible, and sticks readily. A 1" x 12" clear protective tape on white backing.

#480




VISIT US AT [WWW.CARLGOLDBERGPRODUCTS.COM](http://WWW.CARLGOLDBERGPRODUCTS.COM)

P.O. Box 818 Oakwood GA 30566 Phone #678-450-0085 Fax # 770-532-2163

## TURBO 550 ELECTRIC MOTOR


High performance .05 size electric motor for Electra-size models. Specially designed for best performance with standard 8" model propellers. It's ready to run – no soldering required! Includes Turbo 550 Motor, heavy duty 10 Amp Switch, and popular Tamiya-type Connector. Safety features include in-line capacitor to guard against motor "interference" during R/C operation, and light weight fuse block for overload protection.



#675

## PROPELLER MOUNT

Precision-machined aluminum prop mount fits standard unthreaded 1/8" electric motor shafts to permit normal installation of model propellers. The mount is specially designed for use with, or without CGM snap-on Spinners.




#676

## CGM ELECTRIC POWER POD

About four minutes of strong 'n' silent climb for the Sophisticated Lady, the Gentle Lady, and other light-weight sailplanes.


Complete with a powerful Mabuchi 550 Turbo Motor, an 8-4 Nylon Prop, a CGM Spinner and a fuse-protected harness with Tamiya-type Connector. The streamlined pylon is designed to house an on-off servo or a speed controller, and the instructions are easy to follow. Requires a 6 or 7-cell pack.



#678

## ENGINE TEST STAND


Husky enough to handle a big .61 and adjustable down to a T.D. .049. Beautifully finished in clear lacquer. Fully assembled, complete with all mounting bolts, restraining lug pins, and guide pins and ready to help you break in your engine. Made of ROCK HARD CANADIAN MAPLE



#620

## UNIVERSAL ENGINE MOUNT

The CGM Universal Engine Mount comes pre-drilled with all the mounting hardware necessary to mount any engine, from the smallest to a 1.20 4-cycle. The simple instructions eliminate the need for a specific engine mount. Package includes 2 Klett Engine Mount sides, 4 #6 x 3/4" Machine Screws, 4 6-32 Socket Head Screws, and 4 6-32 Blind Nuts.



#445

## SOCKET HEAD SCREW

Socket Head Screws have long been favored by expert modelers. They're made of a higher alloy steel and can be torqued down precisely. Very short and long lengths are available in 3 popular thread sizes. 4 screws and 4 washers per set.



4-40 x 1/8"	#501	6-32 x 1/2"	#514
4-40 x 1/4"	#502	6-32 x 3/4"	#515
4-40 x 3/8"	#503	6-32 x 1"	#516
4-40 x 1/2"	#504	6-32 x 1-1/4"	#517
4-40 x 3/4"	#505	6-32 x 1-1/2"	#518
4-40 x 1"	#506	8-32 x 1/2"	#524
4-40 x 1-1/4"	#507	8-32 x 3/4"	#525
4-40 x 1-1/2"	#508	8-32 x 1"	#526
6-32 x 1/8"	#511	8-32 x 1-1/4"	#527
6-32 x 1/4"	#512	8-32 x 1-1/2"	#528

## 2-56 PAN HEAD MACHINE SCREW

Hard to get LONG LENGTHS are featured here. Each set of 8 is complete with nuts and washers.



2-56 x 1/4"	#542
2-56 x 1/2"	#544
2-56 x 3/4"	#545
2-56 x 1"	#546

## SHEET METAL SCREW

Like wood screws, but better. Sharp, clean, full-depth threads, hard and strong. Excellent for mounting servos, etc. Includes washers.



No. 2 x 3/8" (10)	#563
No. 2 x 1/2" (10)	#564
No. 4 x 3/8" (8)	#567
No. 4 x 1/2" (8)	#568

## BLIND NUT

#4-40 Blind Mounting Nuts are by far the most popular size. Ours are steel, made to high quality standards, and plated for corrosion prevention.



#4-40 Blind Nuts	#571
#4-32 Blind Nuts	#572
#8-32 Blind Nuts	#573

## 1/4-20 NYLON WING BOLTS

For use with 1/4-20 Blind Nuts or drill hole with #7 (13/64") drill and follow with a 1/4-20 tap.



2" Bolt	#585	3" Bolt	#586
---------	------	---------	------

## REPLACEMENT AND OPTIONAL PARTS


Carl Goldberg Models supplies replacement and optional parts for all of its kits. This includes full wing kits, as well as individual pieces of hardware and wood pieces. Call or write the Customer Service Department for current pricing and shipping costs.



**VISIT US AT [WWW.CARLGOULDBERGPRODUCTS.COM](http://WWW.CARLGOULDBERGPRODUCTS.COM)**

P.O. Box 818 Oakwood GA 30566 Phone #678-450-0085 Fax # 770-532-2163

# Goldberg Spinners



**7 sizes, 5 colors,  
4-pin cone-to-backplate  
mounting, larger prop  
cutouts, plus...  
unmatched precision  
of balance and fit!**

Prop shaft adapters are included with all sizes 2" and up. These spinners have the perfect shape and mirror-like finish that have made CGM spinners your favorites for so many years.

Use this chart to find Item #s

DIAM.	WHITE	BLACK	RED	YELLOW	BLUE
1-1/2"	124	125	126	127	128
1-3/4"	131	132	133	134	135
2"	138	139	140	141	142
2-1/4"	145	146	147	148	149
2-1/2"	152	153	154	155	156
2-3/4"	159	160	161	162	163
3"	166	167	168	169	170

## COLOR STRIPE™

Your favorite vinyl detailing tape comes in 14 colors and four popular sizes! Fuel-proof, flexible Color Stripe adds the professional touch to any color scheme. 36-foot rolls stay fresh-for-use in the protective dispenser package.

COLORS	1/16"	3/32"	1/8"	1/4"
Yellow	#680	#694	#708	#722
Red	#681	#695	#709	#723
White	#682	#696	#710	#724
Black	#683	#697	#711	#725
Gold	#684	#698	#712	#726
Blue	#685	#699	#713	#727
Dark Cream	#686	#700	#714	#728
Sky Blue	#687	#701	#715	#729
Deep Red	#688	#702	#716	#730
Orange	#689	#703	#717	#731
Burgundy	#690	#704	#718	#732
Silver	#691	#705	#719	#733
Smoke	#692	#706	#720	#734
Light Cream	#693	#707	#721	#735



**VISIT US AT [WWW.CARLGOLDBERGPRODUCTS.COM](http://WWW.CARLGOLDBERGPRODUCTS.COM)**

P.O. Box 818 Oakwood GA 30566 Phone #678-450-0085 Fax # 770-532-2163