



*Fly this heli with  
virtually any transmitter!*

Thank you for purchasing the Axe 100 CP Heli-Max Transmitter-Ready model.

To take full advantage of the versatility that Tx-R offers, you will need Tactic's AnyLink with an AnyLink compatible helicopter radio or any helicopter radio with SLT. AnyLink (TACJ2000) is an external 2.4GHz radio adapter that allows use of your own transmitter, no matter what brand, band, or modulation, to pilot Tx-R helis equipped with Tactic 2.4GHz SLT receivers.

Get your AnyLink from your favorite hobby dealer. To locate a hobby dealer, visit **Tx-Ready.com** and click "Where to Buy."

Before you can enjoy your new Tx-R aircraft, there are a couple of simple checks that must be completed.

1. Check your transmitter's compatibility with AnyLink; most transmitters are compatible. Use the chart on the other side of this sheet to confirm compatibility before proceeding with assembly of this model. Some transmitters may require optional cables not supplied with AnyLink. They are available from your favorite hobby shop, or visit **Tx-Ready.com** to find a shop near you.
2. Carefully read the instructions included with AnyLink and this Tx-R model before operation.



**WARNING: AnyLink must be in Normal Mapping (1 Beep) when Futaba or Hitec transmitters are used with Tx-R aircraft. If using Spektrum, JR, or Graupner transmitters, AnyLink must be in Alternate Mapping (2 Beeps). (See AnyLink manual.)**

<b>AnyLink Heli Tx Compatibility Chart</b>		<b><i>Required Cable</i></b>
<b>Futaba®</b>	6EXH or EXP, 6J, 7C, 8FG, 8J, 9C, 10C, 12FG	<b><i>INCLUDED</i></b>
	6H, 8U, 9Z	<b><i>TACM0003</i></b>
	12Z, 14MZ, 18MZ	<b><i>TACM0007*</i></b>
<b>Hitec®</b>	Eclipse 7 (72MHz)	<b><i>TACM0003</i></b>
	Aurora 9	<b><i>TACM0004</i></b>
	Eclipse 7 (2.4GHz)	<b><i>TACM0005*</i></b>
<b>JR®</b>	All heli transmitters with trainer jack	<b><i>INCLUDED</i></b>
<b>Spektrum®</b>	DX6, DX6i	<b><i>INCLUDED</i></b>
	DX7s, DX8, DX10t, DX18	<b><i>TACM0005*</i></b>
<b>Graupner®</b>	MX-16	<b><i>INCLUDED</i></b>
<b>*Includes a rechargeable 6.6V LiFe battery. LiFe-compatible charger required.</b>		

*Transmitters not listed above may or may not be compatible with AnyLink.  
All trademarks property of their respective owners.*

***Check Tx-Ready.com for updated compatibility chart.***

# Heli-Max™